	Application No.	Applicant(s)
Nadia a di Allanca billita	10/714,352	LOWELL ET AL.
Notice of Allowability	Examiner	Art Unit
	Thu Khanh T. Nguyen	1722
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>communication filed 7/7/06</u> .		
2. The allowed claim(s) is/are <u>1-7 and 9-11</u> .		
 3.		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 Nation of Informal D	akank Awalinakina
• • •	5. Notice of Informal Pa	· ·
 Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO/SB/08), 	6. ⊠ Interview Summary Paper No./Mail Date 7. ⊠ Examiner's Amendm	e <u>9/18/06</u> .
Paper No./Mail Date 8/21/06 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	_	nt of Reasons for Allowance
or biological Material	9. Other	
	•	•

Application/Control Number: 10/714,352 Page 2

Art Unit: 1722

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR
 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Fredic Zimmerman on September 15, 2006.

The application has been amended as follows: cancel claims 8

Drawings

2. Figures 1 and 2 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Allowable Subject Matter

- 3. Claims 1-7 and 9-11 are allowed over the prior art of record.
- 4. The following is an examiner's statement of reasons for allowance:
- 5. The prior art of record fails to teach or suggest a hydraulic press having multiple dies, a first hydraulic control system for moving a first platen against a second platen, a second isolated

Art Unit: 1722

hydraulic control system, and a press ram movable by the combination of the first hydraulic control system and the isolated hydraulic control system.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thu Khanh T. Nguyen whose telephone number is 571-272-1136. The examiner can normally be reached on Monday- Friday, 6:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gupta Yogendra can be reached on 571-272-1316. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

YOGENERA N. GUPTA

Page 4

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1700